

RECEIVED

NOV 12 2025

CITY OF KNOXVILLE

BOCK INC.

MONTHLY REPORT FOR

October, 2025

SUBMITTED BY _____ *SB* _____

October, 2025

IEPA SUMMARY

There were no communications with IEPA.

MAINTENANCE SUMMARY

BOCK Inc. performed preventive maintenance and seasonal oil changes on the final and primary clarifiers at the plant.

SAFETY

Because safety is an important part of our daily practice, we have been without a loss time injury at the plant for 279 months.

OPERATIONS SUMMARY

Influent flow averaged .0999 gallons per day.

Electricity used totaled 34,944 kilowatt hours.

Rainfall totaled 1.75 inches.




Dewatered sludge disposed of to the Knox County landfill totaled 0 tons.

Knoxville, Illinois
Wastewater Treatment Plant
Twelve Month Moving Average Report
Submitted by
Bock Inc.

	Date	Influent - Daily Average Flow (gallons per day)	Total Electrical Usage (kilowatt hours)	Total Rainfall (inches)
1	January 2025	303,742	59,904	1.12
2	February 2025	306,543	48,384	0.38
3	March 2025	684,384	40,704	4.00
4	April 2025	719,240	33,792	3.44
5	May 2025	427,658	29,952	2.97
6	June 2025	361,907	25,728	4.83
7	July 2025	576,868	26,648	9.45
8	August 2025	340,329	28,416	1.83
9	September 2025	125,427	28,800	0.48
10	October 2025	179,897	34,944	1.75
11	November 2024	300,413	46,464	3.08
12	December 2024	242,142	58,368	1.39
Total		4,568,550	462,104	34.72
Average		702,854	71,093	2.89

Plant Design Average Flow is
660,000 gallons per day

Plant Design Maximum Flow is
1,650,000 gallons per day



Knoxville, Illinois Wastewater Treatment Plant
 Operated by Bock Inc.
 Monthly Report October, 2025

Date	Influent Flow (mgd)	RAS Flow (mgd)	WAS Flow (mgd)	Influent TSS (mg/l)	B01 TSS (mg/l)	TSS % Removal (mg/l)	Influent TSS (lbs/day)	B01 TSS (lbs/day)	TSS % Removal (lbs/day)	pH (std. units)	D.O. (mg/l)	Outfall B01		
												NH3 as (N) (mg/l)	NH3 as (N) (lbs/day)	Fecal Coliform (cfu/100)
10/1/2025	0.120500	0.036200	0.009724											
10/2/2025	0.121700	0.036500	0.000000											
10/3/2025	0.150000	0.045000	0.000000											
10/4/2025	0.106200	0.031900	0.000000											
10/5/2025	0.110700	0.033200	0.000000											
10/6/2025	0.104200	0.031300	0.008840											
10/7/2025	0.086900	0.026100	0.000000											
10/8/2025	0.076500	0.023000	0.008840											
10/9/2025	0.085600	0.025700	0.008840							7.06	8.71	0.100	0.1	2,420
10/10/2025	0.145500	0.043700	0.008840	153	5.2	96.6	186	6.3	96.6					
10/11/2025	0.107500	0.032300	0.000000											
10/12/2025	0.106100	0.031800	0.000000											
10/13/2025	0.102100	0.030600	0.000000											
10/14/2025	0.102500	0.030800	0.008840											
10/15/2025	0.093800	0.028100	0.008840											
10/16/2025	0.090100	0.027000	0.000000							6.95	8.56	0.100	0.1	2,420
10/17/2025	0.106900	0.032100	0.013260	200	4.4	97.8	178	3.9	97.8					
10/18/2025	0.165200	0.049600	0.000000											
10/19/2025	0.145800	0.043700	0.000000											
10/20/2025	0.071800	0.021500	0.000000											
10/21/2025	0.086200	0.025900	0.000000											
10/22/2025	0.074000	0.022200	0.000000											
10/23/2025	0.070300	0.021100	0.000000											
10/24/2025	0.090500	0.027200	0.000000											
10/25/2025	0.071300	0.021400	0.000000											
10/26/2025	0.104600	0.031400	0.000000											
10/27/2025	0.083600	0.025100	0.000000											
10/28/2025	0.102500	0.030800	0.000000											
10/29/2025	0.081600	0.024500	0.000000											
10/30/2025	0.086700	0.020000	0.013260											
10/31/2025	0.066100	0.019800	0.013260											
Minimum	0.066100	0.019800	0.000000	153.0	4.4	96.6	178	3.9	96.6	6.95	8.56	<0.100	0.1	2,420
Maximum	0.165200	0.049600	0.013260	200.0	5.2	97.8	186	6.3	97.8	7.06	8.71	<0.100	0.1	2,420
Total	3.097000	0.929500	0.102544	353	9.6	194	364	10.2	194	14.0	17.3	0.200	0.1	4,840
Average	0.099903	0.029984	0.003308	176.5	4.8	97.2	182	5.1	97.2	7.01	8.64	0.100	0.1	2,420

Knoxville, Illinois Wastewater Treatment Plant
 Operated by Bock Inc.
 Monthly Report for October, 2025

Date	Influent BOD (mg/l)	B01 CBOD (mg/l)	BOD % Removal (mg/l)	Influent BOD (lbs/day)	B01 CBOD (lbs/day)	BOD % Removal (lbs/day)	Electrical Usage (kwh/s)	High Temperature (degrees F)	Low Temperature (degrees F)	Rainfall (inches)	Snowfall (inches)
10/1/2025							1,152	83.1	58.2		
10/2/2025							384	86.1	57.6		
10/3/2025							1,152	88.9	59.2		
10/4/2025							1,152	85.0	59.4		
10/5/2025							768	83.0	60.6		
10/6/2025							1,152	80.8	56.3	0.22	
10/7/2025							1,152	68.2	41.5		
10/8/2025							1,152	69.7	42.6		
10/9/2025	230	<4.00	98.3	164	2.9	98.3	1,152	70.0	44.9	0.31	
10/10/2025							1,152	68.7	50.9		
10/11/2025							1,152	72.5	47.1		
10/12/2025							1,152	76.3	60.3		
10/13/2025							1,152	77.1	60.3		
10/14/2025							1,152	70.4	58.5		
10/15/2025							1,152	72.6	56.9	0.10	
10/16/2025	190.0	<4.0	97.9	143	3.0	97.9	1,152	76.8	58.4		
10/17/2025							1,152	78.6	59.7	0.08	
10/18/2025							1,152	77.3	46.2	0.75	
10/19/2025							1,152	73.3	37.5		
10/20/2025							1,152	69.1	45.2	0.02	
10/21/2025							1,152	53.1	37.8		
10/22/2025							1,536	57.9	30.7		
10/23/2025							1,152	58.4	29.5		
10/24/2025							1,536	58.2	31.4		
10/25/2025							768	54.4	32.0		
10/26/2025							768	64.6	42.1		
10/27/2025							768	63.5	43.1		
10/28/2025							1,152	54.9	44.4	0.27	
10/29/2025							1,536	57.6	36.3		
10/30/2025							1,152	56.2	33.8		
10/31/2025							1,536	56.2	32.8		
Minimum	190.0	<4.00	97.9	143	2.9	97.9	384	53.1	29.5	0.02	0.0
Maximum	230.0	<4.00	98.3	164	3.0	98.3	1,536	88.9	60.6	0.75	0.0
Total	420.0	8.00	196.2	307	5.9	196.2	34,944	2,163	1,455	1.75	0.0
Average	210.0	4.00	98.1	154	3.0	98.1	1,127	69.8	46.9	0.25	

Knoxville, Illinois Wastewater Treatment Plant
 Operated by Bock Inc.
 Monthly Report for October, 2025
 Outfall A01
 Excess Flow Discharge

Date	BOD (mg/l)	TSS (mg/l)	NH3 (as N) (mg/l)	Fecal Coliform (cfu's/100ml)	Flow (mgd)
10/1/2025					0.000000
10/2/2025					0.000000
10/3/2025					0.000000
10/4/2025					0.000000
10/5/2025					0.000000
10/6/2025					0.000000
10/7/2025					0.000000
10/8/2025					0.000000
10/9/2025					0.000000
10/10/2025					0.000000
10/11/2025					0.000000
10/12/2025					0.000000
10/13/2025					0.000000
10/14/2025					0.000000
10/15/2025					0.000000
10/16/2025					0.000000
10/17/2025					0.000000
10/18/2025					0.000000
10/19/2025					0.000000
10/20/2025					0.000000
10/21/2025					0.000000
10/22/2025					0.000000
10/23/2025					0.000000
10/24/2025					0.000000
10/25/2025					0.000000
10/26/2025					0.000000
10/27/2025					0.000000
10/28/2025					0.000000
10/29/2025					0.000000
10/30/2025					0.000000
10/31/2025					0.000000

Minimum					0.000000
Maximum					0.000000
Total					0.000000
Average					0.000000

Knoxville, Illinois Wastewater Treatment Plant
 Operated by Bock Inc.
 Monthly Report for October, 2025
 Outfall 001
 Excess Flow Discharge

Date	D.O. (mg/L)	BOD (mg/L)	pH (Std. Units)	TSS (mg/L)	NH3 (as N) (mg/L)	CL2 Residual (mg/L)	Flow (mgd)
10/01/25							0.120500
10/02/25							0.121700
10/03/25							0.150000
10/04/25							0.106200
10/05/25							0.110700
10/06/25							0.104200
10/07/25							0.086900
10/08/25							0.076500
10/09/25							0.085600
10/10/25							0.145500
10/11/25							0.107500
10/12/25							0.106100
10/13/25							0.102100
10/14/25							0.102500
10/15/25							0.093800
10/16/25							0.090100
10/17/25							0.106900
10/18/25							0.165200
10/19/25							0.145800
10/20/25							0.071800
10/21/25							0.086200
10/22/25							0.074000
10/23/25							0.070300
10/24/25							0.090500
10/25/25							0.071300
10/26/25							0.104600
10/27/25							0.083600
10/28/25							0.102500
10/29/25							0.081600
10/30/25							0.066700
10/31/25							0.066100

Minimum							0.066100
Maximun							0.165200
Total							3.097000
Average							0.099903

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2004-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not duplicate this information without the approval of the agency that sponsors it. This information is not to be collected from respondents who are not required to report. The public reporting and recordkeeping burden for this collection of information is estimated to average 2 hours per outfall. Send comments on the Agency's collection of information, including suggestions for reducing this burden, to Washington, DC 20460. Include the OMB Control Number in your correspondence. Do not send the completed form to this address.

Submission Note

FOR THE RECORD

1. **Introduction**
 2. **Background**
 3. **Methods**
 4. **Results**
 5. **Conclusion**
 6. **References**
 7. **Appendix**
 8. **Figure 1**
 9. **Figure 2**
 10. **Figure 3**
 11. **Figure 4**
 12. **Figure 5**
 13. **Figure 6**
 14. **Figure 7**
 15. **Figure 8**
 16. **Figure 9**
 17. **Figure 10**
 18. **Figure 11**
 19. **Figure 12**
 20. **Figure 13**
 21. **Figure 14**
 22. **Figure 15**
 23. **Figure 16**
 24. **Figure 17**
 25. **Figure 18**
 26. **Figure 19**
 27. **Figure 20**
 28. **Figure 21**
 29. **Figure 22**
 30. **Figure 23**
 31. **Figure 24**
 32. **Figure 25**
 33. **Figure 26**
 34. **Figure 27**
 35. **Figure 28**
 36. **Figure 29**
 37. **Figure 30**
 38. **Figure 31**
 39. **Figure 32**
 40. **Figure 33**
 41. **Figure 34**
 42. **Figure 35**
 43. **Figure 36**
 44. **Figure 37**
 45. **Figure 38**
 46. **Figure 39**
 47. **Figure 40**
 48. **Figure 41**
 49. **Figure 42**
 50. **Figure 43**
 51. **Figure 44**
 52. **Figure 45**
 53. **Figure 46**
 54. **Figure 47**
 55. **Figure 48**
 56. **Figure 49**
 57. **Figure 50**
 58. **Figure 51**
 59. **Figure 52**
 60. **Figure 53**
 61. **Figure 54**
 62. **Figure 55**
 63. **Figure 56**
 64. **Figure 57**
 65. **Figure 58**
 66. **Figure 59**
 67. **Figure 60**
 68. **Figure 61**
 69. **Figure 62**
 70. **Figure 63**
 71. **Figure 64**
 72. **Figure 65**
 73. **Figure 66**
 74. **Figure 67**
 75. **Figure 68**
 76. **Figure 69**
 77. **Figure 70**
 78. **Figure 71**
 79. **Figure 72**
 80. **Figure 73**
 81. **Figure 74**
 82. **Figure 75**
 83. **Figure 76**
 84. **Figure 77**
 85. **Figure 78**
 86. **Figure 79**
 87. **Figure 80**
 88. **Figure 81**
 89. **Figure 82**
 90. **Figure 83**
 91. **Figure 84**
 92. **Figure 85**
 93. **Figure 86**
 94. **Figure 87**
 95. **Figure 88**
 96. **Figure 89**
 97. **Figure 90**
 98. **Figure 91**
 99. **Figure 92**
 100. **Figure 93**
 101. **Figure 94**
 102. **Figure 95**
 103. **Figure 96**
 104. **Figure 97**
 105. **Figure 98**
 106. **Figure 99**
 107. **Figure 100**
 108. **Figure 101**
 109. **Figure 102**
 110. **Figure 103**
 111. **Figure 104**
 112. **Figure 105**
 113. **Figure 106**
 114. **Figure 107**
 115. **Figure 108**
 116. **Figure 109**
 117. **Figure 110**
 118. **Figure 111**
 119. **Figure 112**
 120. **Figure 113**
 121. **Figure 114**
 122. **Figure 115**
 123. **Figure 116**
 124. **Figure 117**
 125. **Figure 118**
 126. **Figure 119**
 127. **Figure 120**
 128. **Figure 121**
 129. **Figure 122**
 130. **Figure 123**
 131. **Figure 124**
 132. **Figure 125**
 133. **Figure 126**
 134. **Figure 127**
 135. **Figure 128**
 136. **Figure 129**
 137. **Figure 130**
 138. **Figure 131**
 139. **Figure 132**
 140. **Figure 133**
 141. **Figure 134**
 142. **Figure 135**
 143. **Figure 136**
 144. **Figure 137**
 145. **Figure 138**
 146. **Figure 139**
 147. **Figure 140**
 148. **Figure 141**
 149. **Figure 142**
 150. **Figure 143**
 151. **Figure 144**
 152. **Figure 145**
 153. **Figure 146**
 154. **Figure 147**
 155. **Figure 148**
 156. **Figure 149**
 157. **Figure 150**
 158. **Figure 151**
 159. **Figure 152**
 160. **Figure 153**
 161. **Figure 154**
 162. **Figure 155**
 163. **Figure 156**
 164. **Figure 157**
 165. **Figure 158**
 166. **Figure 159**
 167. **Figure 160**
 168. **Figure 161**
 169. **Figure 162**
 170. **Figure 163**
 171. **Figure 164**
 172. **Figure 165**
 173. **Figure 166**
 174. **Figure 167**
 175. **Figure 168**
 176. **Figure 169**
 177. **Figure 170**
 178. **Figure 171**
 179. **Figure 172**
 180. **Figure 173**
 181. **Figure 174**
 182. **Figure 175**
 183. **Figure 176**
 184. **Figure 177**
 185. **Figure 178**
 186. **Figure 179**
 187. **Figure 180**
 188. **Figure 181**
 189. **Figure 182**
 190. **Figure 183**
 191. **Figure 184**
 192. **Figure 185**
 193. **Figure 186**
 194. **Figure 187**
 195. **Figure 188**
 196. **Figure 189**
 197. **Figure 190**
 198. **Figure 191**
 199. **Figure 192**
 200. **Figure 193**
 201. **Figure 194**
 202. **Figure 195**
 203. **Figure 196**
 204. **Figure 197**
 205. **Figure 198**
 206. **Figure 199**
 207. **Figure 200**
 208. **Figure 201**
 209. **Figure 202**
 210. **Figure 203**
 211. **Figure 204**
 212. **Figure 205**
 213. **Figure 206**
 214. **Figure 207**
 215. **Figure 208**
 216. **Figure 209**
 217. **Figure 210**

[illegible]

Attachments:

Report Last Signed By
KNOXVILLE CITY OF

User:

Name:

E-Mail:

Date/Time:

Report Last Signed By:

User:

Name:

E-Mail:

Date/Time:

bookish1902

Stanley, Bodkewitz

stanb@bookish.net

2025-11-12 13:35 (Time Zone: -06:00)

bookish1902

Stanley, Bodkewitz

stanb@bookish.net

2025-11-12 13:41 (Time Zone: -06:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES.Resource@epa.gov for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(i)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit No.	IL0022209	Facility	KNOXVILLE CITY OF
Permittee	No	Facility Location	507 SOUTH DIVISION STREET KNOXVILLE, IL 61448
Permittee Address	33 NORTH SIDE PUBLIC SQUARE KNOXVILLE, IL 61448	Status	Not DMR Validated
Discharge	AWP-0 EXCESS FLOW	Telephone	308-852-2783
Permit Due Date	11/25/25		
Permit Title	Chief Operator		
Permit Description			
Permit Conditions			
Permit Notes			
Permit History			
Permit Status			
Permit Type			
Permit Category			
Permit Subcategory			
Permit Subtype			
Permit Subgroup			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			
Permit Subvalue			
Permit Subunit			
Permit Subelement			
Permit Subparameter			

Date/Time:
Report Last Signed By:
User:
Name:
E-Mail:
Date/Time:

2025-11-12 13:35 (Time Zone: -06:00)
bookinc1922
Stanley Bookwiz
stan@bookinc.net
2025-11-12 13:41 (Time Zone: -05:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NEPA/33 separating Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(f)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's control of number in any correspondence. Do not send the completed form to this address.

Permit No.	IL0022208	Facility Name	KNOXVILLE CITY OF
Major Discharge	Internal Outfall	Facility Location	33 NORTH SIDE PUBLIC SQUARE KNOXVILLE, IL 61148
Permittee Address	33 NORTH SIDE PUBLIC SQUARE KNOXVILLE, IL 61148	State	IL
Report Dates & Status	From 10/1/25 to 10/31/25	Station	11/25/25
Monitoring Period	From 10/1/25 to 10/31/25	Chief Operator	Stanley Bockwitz
Administrative Use Only	From 10/1/25 to 10/31/25	Telephone	308-352-2709
Principal Executive Officer	Stanley Bockwitz	Facility Description	Non-DMR Validated
First Name	Stanley	Facility Address	33 NORTH SIDE PUBLIC SQUARE KNOXVILLE, IL 61148
Last Name	Bockwitz	Facility City	KNOXVILLE, IL 61148
NO Data Indicator (N0210)		Facility State	IL
Form NCDE		Facility Zip	37603
Outfall	1 - Effluent Gross	Facility Type	1 - Effluent Gross
Parameter	00300 Oxygen, dissolved (DO)	Facility Category	1 - Effluent Gross
Unit	mg/L	Facility Subcategory	1 - Effluent Gross
Frequency	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Method	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Parameter	00400 pH	Facility Subcategory	1 - Effluent Gross
Unit		Facility Subcategory	1 - Effluent Gross
Frequency	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Method	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Parameter	00530 Solids, total suspended	Facility Subcategory	1 - Effluent Gross
Unit	mg/L	Facility Subcategory	1 - Effluent Gross
Frequency	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Method	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Parameter	00610 Nitrogen, ammonia total (as N)	Facility Subcategory	1 - Effluent Gross
Unit	mg/L	Facility Subcategory	1 - Effluent Gross
Frequency	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Method	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Parameter	00610 Nitrogen, ammonia total (as N)	Facility Subcategory	1 - Effluent Gross
Unit	mg/L	Facility Subcategory	1 - Effluent Gross
Frequency	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Method	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Parameter	50050 Flow, in conduit or thru treatment plant	Facility Subcategory	1 - Effluent Gross
Unit	MGD	Facility Subcategory	1 - Effluent Gross
Frequency	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Method	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Parameter	50060 Chlorine, total residual	Facility Subcategory	1 - Effluent Gross
Unit	mg/L	Facility Subcategory	1 - Effluent Gross
Frequency	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross
Method	1 - Effluent Gross	Facility Subcategory	1 - Effluent Gross

Period

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

02/20/02

1 - Effluent Gross

1 - Effluent Gross

Submission Note

If a parameter row does not contain any values for the Sampler or Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Self Check Errors

No errors

Comments

Chemstation did not happen during this monitoring period.

Attachments

No attachments

Report Last Saved By

KNOXVILLE CITY OF

User

Name

E-Mail

Date/Time

Report Last Signed By

User

Name

E-Mail

Date/Time

bookinc1992

Stanley Backwitz

stanb@bookinc.net

2025-11-12 10:39 (Time Zone: -08:00)

bookinc1992

Stanley Backwitz

stanb@bookinc.net

2025-11-12 13:41 (Time Zone: -08:00)

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501, et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(f)(4)(v). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The burden for this collection of information is estimated to average 2 hours per outlet. Send comments on this Agency's collection of information, including suggestions for reducing the burden, to Washington, D.C. 20503, include the Agency's control number in your correspondence. Do not send the completed form to this address.

If a parameter row does not contain any values for the Sample no, Effluent Tracing, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type

Black Eggs

[illegible]

various

5516-2011 (2013)

[illegible]

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

5756617706

STUDY OF

03/25/1587, 1100' N

ANDERSON CITY

Aspen

Abstract

vanne

E-Mail:

Date: Time:

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

4455 50TH AVE. S.W. 374-6884

Just

Name: _____

1000

1000

1000

© 2008 Blackwell Publishing Ltd *Journal of Internal Medicine* 263: 103–112

